

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25710	(synchron\$8 near4 (packet\$1 or frame\$1 or cell\$1 or stream\$1 or data or video or audio)) same (network or bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 14:15
L3	2548	(synchron\$8 near4 (packet\$1 or frame\$1)) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:01
L4	3599	713/400-401.CCLS. OR 713/500-502.CCLS. OR 713/600-601.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:02
L5	71983	(SYNC\$12 NEAR3 (BIT\$1 OR BYTE\$1 OR FRAME\$1 OR PACKET\$1)) OR (START ADJ BIT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:02
L6	60429	(adjust\$3 or modif\$9 or alter\$3 or chang\$3 or drop\$4) near5 (clock or tim\$3 or phase\$1 or edge) with (threshold or limit or point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:04
L8	193113	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:12
L9	159747	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near3 phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:12
L10	193113	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:13
L11	67443	(falling or egress or ingress or negative or positive or ris\$3) near3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:13

L12	67443	(falling or egress or ingress or negative or positive or ris\$3) near3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:14
L13	58155	(falling or egress or ingress or negative or positive or ris\$3) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:14
L14	7076	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:14
L15	8799	375/219-236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:14
L16	9264	709/230-238.ccls. or 709/246-248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:15
L17	22700	"710"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:15
L18	1331	710/309-310.CCLS. OR 710/105-106.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:40
L19	231423	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 (clock or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:15
L20	800737	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 (clock or tim\$3 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:16
L21	131118	(multiphase or multi or multiple or plurality) with (phas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:16

L22	1514	(greater or more) near3 command\$1 near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:21
L23	1554	(drop\$4 or cancel\$3 or delet\$4 or eliminat\$4) with (falling or egress or ingress or negative or positive or ris\$3) near3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:17
L24	6920	levy.inv. or mauritz.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:13
L25	34195	(synchron\$8 near5 (BUS OR packet\$1 or frame\$1 or cell\$1 or stream\$1 or data or video or audio)) same (network or bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:44
L26	1528847	(command or control or data) near3 (bit\$1 or field\$1 OR VOABULARY OR WORD\$1 OR LINE\$1 OR SIGNAL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:14
L27	1529173	(command or control or data) near3 (bit\$1 or field\$1 OR VOcABULARY OR WORD\$1 OR LINE\$1 OR SIGNAL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:14
L28	96	18 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:15
L29	77	28 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:15
L30	18	29 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:15
L31	76	3 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:15

L32	1603485	31 nd 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:16
L33	71	31 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:15
L34	28	33 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:16
L35	9	13 and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:19
L36	24664	intel.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:19
L37	127	36 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:20
L38	21	37 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:20
L39	9	38 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:20
L40	1706	(greater or more) near3 command\$1 near3 (word or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:32
L41	0	40 and 39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:32

L42	618	40 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:33
L43	98	42 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:33
L44	456	43 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:33
L45	50	43 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:34
L46	46	45 and @ad<"20010619"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:45
L47	1821	710/309-310.CCLS. OR 710/105-106.CCLS. or 710/60-61. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:41
L48	38	20 and 22 and 13 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:42
L49	34	48 and @ad<"20010619"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:42
L50	0	49 and 47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:43
L51	0	49 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:43

L52	36608	(sync\$12 near5 (BUS OR packet\$1 or frame\$1 or cell\$1 or stream\$1 or data or video or audio)) same (network or bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:44
L53	193	(4 or 14 or 15 or 47) and 5 and 13 and 20 and 52 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:45
L54	156	53 and @ad<"20010619"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:45
S1	8	choquier.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:01
S2	2	vaughn.xa. and sna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:05
S3	16	("4677588" "4837805" "5077655" "5396485" "5424724" "5440558" "5493607" "5528671" "5548729" "5568180" "5572724" "5583862" "5655073" "5748894" "5805816" "5815664").PN.	USPAT	OR	OFF	2003/12/10 11:02
S4	5	vaughn.xa. and connectionless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:06

S5	68	("4608688" "4649473" "4755928" "5021949" "5175837" "5206939" "5208665" "5218695" "5243595" "5255270" "5269011" "5276860" "5276867" "5335352" "5341493" "5367698" "5371532" "5371850" "5381539" "5408465" "5410343" "5414455" "5442390" "5442771" "5477263" "5508732" "5508733" "5528282" "5528513" "5530557" "5533021" "5534912" "5537408" "5539660" "5544313" "5544327" "5544345" "5544347" "5550577" "5553005" "5555265" "5555396" "5557317" "5557611" "5559949" "5572678" "5583561" "5586264" "5594910" "5603058" "5619650" "5619697" "5640596" "5710923" "5717745" "5745685" "5787300" "5796954" "5797005" "5799173" "5867562" "5893140" "5918018" "5933603" "5948062" "5966531" "5987611" "6009463").PN.	USPAT	OR	OFF	2003/12/10 11:05
S6	6	S5 and sna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:06
S7	4	(("5412697") or ("5436897")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:45
S8	4	"5436897".pn. or "5412697".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:37

S9	20	"5436897".uref. or "5412697".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:38
S10	22001	intel.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:46
S11	6236	levy.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:46
S12	367	mauritz.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:46
S13	46	S10 and (S11 or S12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:52
S14	5	S13 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:11
S15	13	(S11 and S12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:56
S16	14	"5412697".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:11
S17	5	S14 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:51
S18	10	S16 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:21

S19	0	(continues near4 service near4 other near4 request\$1) same upgrad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:23
S20	4	"6453468".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:25
S21	3	"6453468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:25
S22	6	("4870575" "4974149" "5193178" "5815654" "6038517" "6314532").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:26
S23	216	stop\$3 near4 rout\$3 near4 (message\$1 or request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:27
S24	1	S23 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:28
S25	19368	during near4 (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:28
S26	161	"19" and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:28
S27	31	S25 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:30
S28	40	(redirect\$4 near4 request\$1) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:31

S29	3	(redirect\$4 near4 request\$1) with upgrad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:31
S30	14	(redirect\$4 near4 request\$1) same upgrad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:33
S31	5478	ferguson.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:33
S32	25	S31 and ibm.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:33
S33	1621	717/168-169.ccls. or 717/17\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:34
S34	97	S33 and redirect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:34
S35	629	redirect\$4 near8 (upgrad\$3 or updat\$3 or installat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:34
S36	21	S35 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:36
S37	244	redirect\$4 same ((pluralit\$3 or cluster\$1) near4 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:37
S38	3	S37 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:37

S39	4	("5412697" "5590364" "5619541" "6008734").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:50
S40	1	("6008734").URPN.	USPAT	OR	OFF	2004/12/01 16:51
S41	2405	(synchron\$8 near4 (packet\$1 or frame\$1)) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:50
S42	231	713/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:56
S43	234	710/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:57
S44	214	S42 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:57
S45	3	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:59
S46	8	S43 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00
S47	40042	control adj3 (byte\$1 or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00
S48	24052	(falling or egress or ingress) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:52
S49	92	encod\$3 and S48 and S47 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01

S50	1	S49 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01
S51	40330	(falling or egress or ingress or rising) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:06
S52	517207	clock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:07
S53	10000	(synchron\$8 near4 (packet\$1 or frame\$1)) and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:07
S54	860	(clock\$1 near4 (adjust\$3 or modif\$8)) and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:15
S55	7	S54 and (S42 or S43)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:09
S56	284	S54 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:09
S57	284	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:09
S58	40	S57 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:10
S59	31	S58 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:10

S60	41838	(falling or egress or ingress or rising) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:21
S61	77372	(command or control) near3 (bit\$1 or byte\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S62	7413	S60 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S63	4019	S62 and falling and rising	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S64	2893	S63 and synchroniz\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S65	3318	S62 and (falling same rising)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:14
S66	643	S62 and (falling same rising same synchroniz\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:14
S67	64	S61 same (falling same rising same synchroniz\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:14
S68	19137	(clock\$1 near4 (adjust\$3 or modif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:14
S69	136	S68 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:15

S70	11	S68 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:13
S71	219850	(exchang\$3 or transmit\$4 or forward\$3 or transmission or send\$3) near5 (frame\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:18
S72	49	S71 and S68 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:19
S73	15	S72 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:27
S74	51295	(falling or egress or ingress or rising or positive or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:04
S75	78466	(multiphase or multi or multiple) with (phas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:54
S76	46	S75 and S68 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:27
S77	14	S76 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S78	8684	709/230-238.ccls. or 709/246-248. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:11
S79	8537	375/219-236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:13

S80	25	S79 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:13
S81	2	S60 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:14
S82	11	S66 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:34
S83	21569	"710"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:35
S84	1042	S83 AND S60 AND S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:35
S85	40	S83 AND S74 AND S68 AND S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:36
S86	37	S85 AND SYNCHRONIZ\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:36
S87	23	S86 AND FRAME\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:37
S88	1265	710/309-310.CCLS. OR 710/105-106.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:40
S89	24108	"711"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:40

S90	10	S89 AND S74 AND S68 AND S75 AND SYNCHRONIZ\$9 AND FRAME\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:55
S91	21	"5436897".UREF. OR "5412697". UREF.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:55
S92	9	S91 AND S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:55
S93	11	("5619541").URPN.	USPAT	OR	OFF	2005/03/15 08:56
S94	0	(S91 OR S93) AND S68 AND S61	USPAT	OR	OFF	2005/03/15 08:57
S95	7	(S91 OR S93) AND S68	USPAT	OR	OFF	2005/03/15 08:57
S96	2	(S91 OR S93) AND S61	USPAT	OR	OFF	2005/03/15 08:57
S97	84	weinberg.inv. and track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:59
S98	135	categor\$3 and (monitor\$3 with (traffic or track\$3) with (web adj site\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:55
S99	0	S97 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:55
S10 0	6509	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:55
S10 1	22	S100 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:56
S10 2	209194	total near3 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:56

S10 3	230346	total near5 (hit\$1 or number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:56
S10 4	32	S103 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:59
S10 5	7	weinberg.inv. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:08
S10 6	2	"6480946".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:08
S10 7	1	S106 and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:09
S10 8	0	S106 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:09
S10 9	1	S106 and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:12
S11 0	1	S106 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:12
S11 1	185	data adj field adj bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:12
S11 2	18	S111 and (falling adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:14

S11 3	81191	(clock\$1 or phase\$1) near4 (adjust\$3 or modif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:15
S11 4	1	S113 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:15
S11 5	51295	(falling or egress or ingress or rising or positive or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S11 6	130632	(command or control) near3 (bit\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:55
S11 7	130789	(command or control or ctrl or cmd) near3 (bit\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S11 8	1176	S115 same S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S11 9	474	S118 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S12 0	153	S118 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S12 1	114	S120 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 2	42012	(egress or ingress or rising or positive) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:06

S12 3	18855	S122 with (clock\$1 or timer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 4	4574	S123 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 5	117	S123 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 6	84	S125 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:15
S12 7	80	synchroniz\$9 and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:13
S12 8	31945	(clock or tim\$3) near5 (synchroniz\$8 or adjust\$3 or modif\$9) near5 (frame\$1 or packet\$1 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:13
S12 9	32489	(clock\$1 or tim\$3) near5 (synchroniz\$8 or adjust\$3 or modif\$9) near5 (frame\$1 or packet\$1 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S13 0	602	S129 same S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:14
S13 1	164	S130 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:14
S13 2	10	S130 same S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:14

S13 3	82	S131 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:17
S13 4	42012	S122 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:17
S13 5	82	S133 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:48
S13 6	69742	(SYNC\$12 NEAR3 (BIT\$1 OR BYTE\$1 OR FRAME\$1 OR PACKET\$1)) OR (START ADJ BIT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S13 7	3447	713/400-401.CCLS. OR 713/500-502.CCLS. OR 713/600-601.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:59
S13 8	526	S137 AND S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:52
S13 9	237	S138 AND S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:52
S14 0	508	710/60-61.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:52
S14 1	13	S140 AND S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:54
S14 2	766	BUS ADJ SPECIFICATION AND IEEE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:55

S14 3	766	(BUS ADJ SPECIFICATION) AND IEEE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:55
S14 4	279	S143 AND "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:55
S14 5	106	S144 AND "710"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:58
S14 6	4736	ISOCHRONOUS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:58
S14 7	3447	713/400-401.CCLS. OR 713/500-502.CCLS. OR 713/600-601.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:59
S14 8	6	S147 AND S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S14 9	69742	(SYNC\$12 NEAR3 (BIT\$1 OR BYTE\$1 OR FRAME\$1 OR PACKET\$1)) OR (START ADJ BIT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S15 0	32489	(clock\$1 or tim\$3) near5 (synchroniz\$8 or adjust\$3 or modif\$9) near5 (frame\$1 or packet\$1 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S15 1	51295	(falling or egress or ingress or rising or positive or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:04
S15 2	73	S151 AND S150 AND S149 AND S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:02

S15 3	8	S152 AND S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:02
S15 4	30403	(falling or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:04
S15 5	49	S154 AND S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:05
S15 6	37	S155 AND @AD<"20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:08
S15 7	37	S156 AND (CONTROL OR COMMAND OR CTRL OR CMD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:15
S15 8	209	S147 AND INTEL.ASN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S15 9	85	S158 AND S151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S16 0	54	S159 AND S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S16 1	8	S149 AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S16 2	14	("4878233" "5163069" "5256994" "5887039" "5909563" "5919254" "6112307" "6188255" "6269136" "6336159" "6393502" "6505149" "6539444" "6584575").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 15:17

S16 3	7	S162 AND S154	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 15:18
S16 6	193113	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:53
S16 7	67443	(falling or egress or ingress or negative or positive or ris\$3) near3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:15
S16 8	58155	(falling or egress or ingress or negative or positive or ris\$3) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:53
S16 9	231423	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 (clock or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:54
S17 0	800737	(adjust\$3 or modif\$9 or alter\$3 or chang\$3) near5 (clock or tim\$3 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:44
S17 1	131118	(multiphase or multi or multiple or plurality) with (phas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:54
S17 2	377718	(command or control or data) near3 (bit\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:13
S17 3	1514	(greater or more) near3 command\$1 near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:57
S17 4	1554	(drop\$4 or cancel\$3 or delet\$4 or eliminat\$4) with (falling or egress or ingress or negative or positive or ris\$3) near3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:58

S17 5	3	S174 and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:01
S17 6	6920	levy.inv. or mauritz.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:01
S17 7	387	(paul adj3 levy).inv. or mauritz. inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:01
S17 8	2	(paul adj3 levy).inv. or (karl adj3 mauritz).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:02
S17 9	32	(paul adj3 levy) or (karl adj3 mauritz)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:04
S18 0	0	(karl adj3 mauritz).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:04
S18 1	49	(karl and mauritz).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:04
S18 2	34195	(synchron\$8 near5 (BUS OR packet\$1 or frame\$1 or cell\$1 or stream\$1 or data or video or audio)) same (network or bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:13
S18 3	1528847	(command or control or data) near3 (bit\$1 or field\$1 OR VOABULARY OR WORD\$1 OR LINE\$1 OR SIGNAL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:15
S18 4	104462	(falling or egress or ingress or negative or positive or ris\$3 OR TIM\$3 OR CLOCK) near3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:18

S18 5	46	S184 AND S183 AND S182 AND S170 AND S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:18
S18 6	24664	INTEL.ASN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:19
S18 7	512	S171 AND S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:19
S18 8	0	S187 AND S185	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:19
S18 9	2	S185 AND S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:22
S19 0	61	S186 AND S176	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:22
S19 1	7	S190 AND FALLING	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:22
S19 2	26781	(FALLING OR NEGATIVE) ADJ EDGE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:23
S19 3	506	S192 AND S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:23
S19 4	2806	((FALLING OR NEGATIVE) ADJ EDGE).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:23

S19 5	64	S194 AND S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:43
S19 6	21459	(encod\$3 near4 (packet\$1 or frame\$1 or cell\$1 or stream\$1 or data or video or audio)) same (network or bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:43